

Abstracts:

1. **Hall, A.C.** & Macdonald, A.G. (1979). The effects of hydrostatic pressure on the osmotic fragility of erythrocytes and their protection by pentanol. *J. Physiol.* 295, 42-43P.
2. **Hall, A.C.** & Macdonald, A.G. (1980). Hydrostatic pressure alters the sodium content of human erythrocytes. *J. Physiol.* 305, 108-109P.
3. Ellory, J.C., **Hall, A.C.**, Klein, R.A. & Macdonald, A.G. (1982). The effects of pressure on passive K⁺ uptake by human erythrocytes and the influence of counterions. *J. Physiol.* 324, 50-51P.
4. **Hall, A.C.** & Willis, J.S. (1982). Ca-activated K permeability in red cells from hibernators and non-hibernators. *Fed. Proc.* 41, 4118.
5. Ellory, J.C. & **Hall, A.C.** (1983). Ca transport in hibernator and non-hibernator species' red cells at low temperature. *J. Physiol.* 345, 148P.
6. Ellory, J.C., **Hall, A.C.** & Stewart, G.W. (1983). The effects of low temperature on the (Na⁺+K⁺) cotransport system in human red cells. *J. Physiol.* 343, 95-96P.
7. **Hall, A.C.** & Willis, J.S. (1984a). Activation of the Ca²⁺-sensitive K⁺ channel in erythrocytes at low temperature. *Biochem. Soc. Trans.* 12, 312-314.
8. **Hall, A.C.** & Willis, J.S. (1984c). 'Passive' cation permeability in red cells of various species at low temperatures. *J. Physiol.* 354, 49P.
9. Hall, R.H., **Hall, A.C.**, Ellory, J.C., Sutton, C.S. & Broadbent, D.A. (1985). The molecular mass of *Vibrio cholerae* haemolysin measured by radiation inactivation. *Biochem. Soc. Trans.* 13, 1251-1252.
10. Hall, R.H., **Hall, A.C.** & Ellory, J.C. (1985). The effects of *Vibrio cholerae* haemolysin on cation transport in human red cells. *Biochem. Soc. Trans.* 14, 120-121.
11. Wolowyk, M.W., **Hall, A.C.**, Ellory, J.C. & Wang, L.C.H. (1985). Ionic mechanisms in cold tolerance. *Cryobiology* 22, 604-605.
12. Ellory, J.C., Freeman, C.J. & **Hall, A.C.** (1985). Irradiation of cryopreserved red cells for membrane transport studies. *J. Physiol.* 371, 21P.
13. **Hall, A.C.** & Ellory, J.C. (1985b) The effects of high hydrostatic pressure on amino acid transport in sheep red cells. *1st Congr. Comp. Physiol. Biochem.* I.U.B.S. Liege, Belgium. B 96.
14. Ellory, J.C. & **Hall, A.C.** (1985a). Na, K, Cl-cotransport stoichiometry; measurement of bumetanide - sensitive fluxes in ferret red cells. *J. Physiol.* 357, 63P.
15. Ellory, J.C. & **Hall, A.C.** (1985b). The effects of high hydrostatic pressure on volume-sensitive cation transport in human red cells. *J. Physiol.* 362, 15P.
16. Ellory, J.C., **Hall, A.C.** & Stewart, G.W. (1986a). Volume-sensitive KCl transport in human red cells. *J. Physiol.* 374, 33P.
17. Stein, J.M., **Hall, A.C.**, Ellory, J.C. & Tucker, E.M. (1986). The effects of periodate on cation transport in sheep erythrocytes. *Biochem. Soc. Trans.* 14, 1127-1128.
18. Ellory, J.C., **Hall, A.C.**, Hockaday, A.R. & Stewart, G.W. (1986). Is there a relationship between erythrocyte morphology and membrane transport ? *J. Physiol.* 382, 26P.
19. Ellory, J.C. & **Hall, A.C.** (1986). Differential effects of high hydrostatic pressure on membrane transport in sheep erythrocytes. *J. Physiol.* 384, 64P.
20. **Hall, A.C.** (1987). High hydrostatic pressure as a new technique for studying membrane transport. *In* Molecular Aspects of Membrane Transport, Banff, Alberta. T27.
21. Bernhardt, I., Ellory, J.C. & **Hall, A.C.** (1987). Alterations to erythrocyte passive cation permeability induced by decreasing ionic strength. *J. Physiol.* 396, 47P.
22. Bianchini, L., Ellory, J.C. & **Hall, A.C.** (1987). Stimulation of volume-sensitive KCl transport in trout hepatocytes. *J. Physiol.* 396, 172P.
23. **Hall, A.C.** & Willis, J.S. (1987a). Anomalous effects of membrane transport inhibitors at low temperatures. *Biochem. Soc. Trans.* 15, 532-533.
24. **Hall, A.C.** & Willis, J.S. (1987b). Effects of temperature on (Na⁺+K⁺) cotransport in erythrocytes from hibernators and non-hibernators. *Biochem. Soc. Trans.* 15, 533-534.
25. **Hall, A.C.**, Urban, J.P.G. & Ellory, J.C. (1987). Inhibition of proteoglycan synthesis in cartilage by high hydrostatic pressure. *Biochem. Soc. Trans.* 15, 531-532.
26. **Hall, A.C.**, Gehl, K.A., Urban, J.P.G., & Ellory, J.C. (1988). K⁺ transport in isolated bovine articular chondrocytes. *Biochem. Soc. Trans.* 16, 637-638.

27. **Hall, A.C.**, Urban, J.P.G. & Ellory, J.C. (1988). Differential effects of steady and short-term hydrostatic pressures on protein and proteoglycan synthesis in cartilage. *Trans. Orthop. Res. Soc.* 34, 71-72.
28. Amess, J.A.L., Ellory, J.C., **Hall, A.C.** & Stuart, J. (1988). Rapid loss of volume-sensitive KCl transport in 'young' human HbAA and HbSS red cells during incubation *in vitro*. *J. Physiol.* 406, 229P.
29. **Hall, A.C.** (1989). Apparatus for the measurement of membrane transport at high hydrostatic pressure. *J. Physiol.* 417, 9P.
30. **Hall, A.C.**, Harvey, C.M. & Ellory, J.C. (1989). The use of hydrostatic pressure to study membrane transport. In *Ion Transport*. Eds. D. Keeling and C. Benham. Academic Press, London. p 366.
31. **Hall, A.C.**, Harvey, C.M., Hendry, B.M. & Lucio, F.J. (1989). Effects of hydrostatic pressure and membrane cholesterol depletion on L-lysine transport in human erythrocytes. *J. Physiol.* 418, 89P.
32. Ellory, J.C., **Hall, A.C.** & Ody, S.A. (1989). Is acid a more potent activator of KCl cotransport than hypotonicity? *J. Physiol.* 420, 149P.
33. **Hall, A.C.** & Urban, J.P.G. (1989). Responses of articular chondrocytes and cartilage to high hydrostatic pressure. *Trans. Orthop. Res. Soc.* 14, 49.
34. **Hall, A.C.** & Urban, J.P.G. (1990). The role of chondrocyte membrane transport processes in mediating the effect of fluid loss and hydrostatic pressure on matrix synthesis. *Trans. Orthop. Res. Soc.* 15, 340.
35. **Hall, A.C.**, Urban, J.P.G. & Gehl, K.A. (1990). Physiological levels of hydrostatic pressure can stimulate matrix synthesis in isolated bovine articular cartilage. *J. Physiol.* 426, 114P.
36. Maciewicz, R., **Hall, A.C.** & Urban, J.P.G. (1991). Effect of physiological pressure on the secretion of cysteine proteinases and their inhibitors from articular cartilage. *Biochem. Soc. Trans.* 19, 396.
37. **Hall, A.C.** & Urban, J.P.G. (1991). Fast and slow responses of articular chondrocytes to hydrostatic pressure. *Trans. Orthop. Res. Soc.* 16, 240.
38. Wilkins, R.J., **Hall, A.C.** & Urban, J.P.G. (1991). Some factors involved in the control of intracellular pH in chondrocytes isolated from bovine articular cartilage. *J. Physiol.* 446, 361P.
39. Maciewicz, R., **Hall, A.C.** & Urban, J.P.G. (1992). Differential effects of hydrostatic pressure on secretion of cysteine proteinases and inhibitors from articular cartilage. *Trans. Orthop. Res. Soc.* 17, 688.
40. Wilkins, R.J., **Hall, A.C.** & Urban, J.P.G. (1992). The correlation between changes in intracellular pH and changes in matrix synthesis rates in chondrocytes. *Trans. Orthop. Res. Soc.* 17, 182.
41. Huntley, J.S. **Hall, A.C.** & Kirk, K. (1992). Kanagawa haemolysin induces a cation leak in human erythrocytes. *J. Physiol.* 459, 291P.
42. Williams, J.C., Ellory, J.C., Culliford, S.J. & **Hall, A.C.** (1992). Measurement of Band 3 inhibition by a simple pH method. *J. Physiol.* 459, 115P.
43. Flitney, D.E. & **Hall, A.C.** (1992). The use of IBM PC AT clones with National Instruments LabWindows for data acquisition applied to teaching classes. *J. Physiol.* 459, 116P.
44. Wilkins, R.J. & **Hall, A.C.** (1992). Bovine articular chondrocytes demonstrate only minimal bicarbonate-dependent recovery from changes to intracellular pH. *J. Physiol.* 459, 289P.
45. Huntley, J.S. & **Hall, A.C.** (1993). The effects of membrane-active agents on the leak induced in erythrocyte membranes by Kanagawa haemolysin. *Biochem. Soc. Trans.* 21, 219S.
46. Wilkins, R.J. & **Hall, A.C.** (1993a). An investigation of the mechanisms by which bovine articular chondrocytes regulate intracellular pH. *Trans. Orthop. Res. Soc.* 18, 15.
47. Wilkins, R.J. & **Hall, A.C.** (1993b). Alteration by serum of the acid-extrusion mechanism in bovine articular chondrocytes. *Trans. Orthop. Res. Soc.* 18, 628.
48. Urban, J.P.G. & **Hall, A.C.** (1993). Adaptive responses of chondrocytes to changes in their physical environment. *Trans. Orthop. Res. Soc.* 18, 620.
49. Deshayes, C.M.P., **Hall, A.C.** & Urban, J.P.G. (1993). Effect of extracellular osmolality on porcine articular chondrocyte volume. *J. Physiol.* 467, 214P.
50. Ishihara, H., Urban, J.P.G. & **Hall, A.C.** (1993). A 20 second application of physiological levels of hydrostatic pressure can stimulate matrix synthesis in some regions of the bovine intervertebral disc. *J. Physiol.* 467, 213P.
51. Wilkins, R.J. & **Hall, A.C.** (1993c). Intracellular pH of bovine chondrocytes is not regulated by a $K^+ - H^+$ exchange mechanism. *J. Physiol.* 467, 382P.
52. Huntley, J.S. & **Hall, A.C.** (1993). Kanagawa haemolysin of *Vibrio parahaemolyticus* induces a nitrendipine-sensitive K influx in human erythrocytes. *J. Physiol.* 467, 383P.
53. **Hall, A.C.** (1994a). Increased taurine transport following swelling of bovine articular chondrocytes. *J. Physiol.* 475, 94P.

54. Ponte, M.R. & **Hall, A.C.** (1994b). The effect of extracellular Ca^{2+} and Na^+ on $[\text{Ca}^{2+}]_i$ of porcine articular chondrocytes. *J. Physiol.* 475, 105P.
55. Ponte, M.R. & **Hall, A.C.** (1994a). Measurement and factors affecting the $[\text{Ca}^{2+}]_i$ of isolated porcine articular chondrocytes. *Trans. Orthop. Res. Soc.* 19, 374.
56. **Hall, A.C.** (1994b). Activation of membrane transporters in isolated bovine articular chondrocytes by osmotic shock. *Trans. Orthop. Res. Soc.* 19, 370.
57. Wilkins, R.J. & **Hall, A.C.** (1994). Anion exchange mechanisms do not mediate intracellular pH recovery from alkalosis in bovine articular chondrocytes. *Trans. Orthop. Res. Soc.* 19, 372.
58. Urban, J.P.G., Borghetti, P., **Hall, A.C.** & Deshayes, C. (1994). Volume regulatory behaviour of isolated and *in situ* chondrocytes in response to changes in extracellular osmolarity. *Trans. Orthop. Res. Soc.* 19, 490.
59. Gibson, J.S. & **Hall, A.C.** (1994). Effects of high hydrostatic pressure on KCl cotransport in equine red cells. *J. Physiol.* 477, 64-65P.
60. Mobasher, A., Urban, J.P.G. & **Hall, A.C.** (1994). The effect of the extracellular ionic environment on the Na/K pump density in bovine articular cartilage. *Int. J. Exp. Pathol.* 75, A91.
61. Starks, I. & **Hall, A.C.** (1995). Activation of K^+ transport pathways of isolated bovine articular chondrocytes following osmotic perturbation. *J. Physiol.* 482, 18-19P.
62. Errington, R.J. & **Hall, A.C.** (1995). Volume regulatory properties of porcine articular chondrocytes measured *in situ* using confocal microscopy. *J. Physiol.* 482, 12-13P.
63. Errington, R.J., White, N.S. & **Hall, A.C.** (1995). Four dimensional imaging of chondrocytes within porcine articular cartilage. *Trans. Orthop. Res. Soc.* 20, 384.
64. Starks, I. & **Hall, A.C.** (1995). Changes to the activity of volume-sensitive transporters of isolated articular chondrocytes following osmotic perturbation. *Trans. Orthop. Res. Soc.* 20, 395.
65. Wilkins, R.J., Yamazaki, N., Nelson, D.L. & **Hall, A.C.** (1995). The response of $\text{Na}^+ \times \text{H}^+$ exchange in isolated bovine articular chondrocytes to hypertonic shock. *FASEB* 9(4), 3679.
66. Mobasher, A., Errington, R.J., Pocock, A.E., **Hall, A.C.** & Urban, J.P.G. (1995). Characterization of the catalytic isoforms of the Na/K ATPase in isolated bovine articular chondrocytes by Western blotting and immunofluorescence confocal laser scanning microscopy. *Int. J. Exp. Pathol.* 76, A28.
67. Errington, R.J., **Hall, A.C.**, Fricker, M.D. & White, N.S. (1995). Protocols for determining chondrocyte volume *in situ* from three dimensional images. *J. Physiol.* 487P, 3P.
68. **Hall, A.C.** (1995). Inhibition of membrane transporters for K^+ in isolated bovine articular chondrocytes by hydrostatic pressure. *J. Physiol.* 489P, 122P.
69. Mobasher, A., Smith, A.L., France, S.J., Urban, J.P.G., & **Hall, A.C.** (1995). Autoradiographic localization of Na/K ATPase in bovine articular chondrocytes; correlation of density with tissue $[\text{Na}^+]$. *J. Physiol.* 489P, 65P.
70. Wilkins, R.J., Yamazaki, N. & **Hall, A.C.** (1995). Stimulation of cation transport in isolated bovine articular chondrocytes following hypertonic shock. *J. Physiol.* 489P, 107P.
71. **Hall, A.C.**, Wilkins, R.J., Errington, R.J., Horwitz, E. & Harvey, B.J. (1995). The cellular physiology of chondrocytes. *J. Physiol.* 489P, 19S.
72. Wilkins, R.J., Mobasher, A., Urban, J.P.G. & **Hall, A.C.** (1996). Bovine articular chondrocytes possess two isoforms of $\text{Na}^+ \times \text{H}^+$ exchange. *Trans. Orthop. Res. Soc.* 21, 35.
73. Mobasher, A., Errington, R.J., **Hall, A.C.** & Urban, J.P.G. (1996). Increased extracellular $[\text{Na}^+]$ up-regulates Na^+ , K^+ -ATPase density in isolated bovine articular chondrocytes. *Trans. Orthop. Res. Soc.* 21, 331.
74. Mobasher, A., Shackleton, S., **Hall, A.C.** & Urban, J.P.G. (1996). Molecular characterisation of the Na/K -ATPase in bovine articular chondrocytes; evidence for multiple catalytic isoforms. *J. Physiol.* 491P, 96P.
75. Mobasher, A., Urban, J.P.G. & **Hall, A.C.** (1996). β_2 is the predominant regulatory isoform of the Na^+ , K^+ -ATPase in isolated bovine articular chondrocytes. *J. Physiol.* 493P, 104P.
76. Mobasher, A., Golding, S., Pocock, A.E., Ellory, J.C., **Hall, A.C.**, Urban, J.P.G. & Francis, M.J.O. (1996). Expression of the neuronal α_3 and β_2 isoforms of the Na^+ , K^+ -ATPase in primary human bone derived osteoblasts *J. Physiol.* 494, 59P.
77. Wilkins, R.J., Mobasher, A. & **Hall, A.C.** (1996). Characterisation of Na^+/H^+ exchange in isolated bovine articular chondrocytes. *FASEB J.* 10, (3) 3843.
78. Mobasher, A., **Hall, A.C.** & Urban, J.P.G. (1996). Factors affecting the up-regulation of the Na^+/K^+ pump density of isolated bovine articular chondrocytes induced by changes to extracellular $[\text{Na}^+]$. *J. Physiol.* 495P, 124P-125P.

79. Mobasher, A., Golding, S., Pocock, A.E., Urban, J.P.G., **Hall, A.C.**, Ellory, J.C. & Francis, M.J.O. (1997). Molecular characterisation of isoforms of the Na⁺, K⁺ - ATPase in primary human bone derived osteoblasts. *Trans. Orthop. Res. Soc.* 22, 85.
80. **Hall, A.C.** (1997). Hydrostatic pressure directly affects the activity of articular chondrocyte membrane transporters. *Trans. Orthop. Res. Soc.* 22, 177.
81. Wilkins, R.J., Browning, J.A., Yamazaki, N. & **Hall, A.C.** (1997). Hydrostatic pressure stimulates intracellular pH recovery from acidosis in bovine articular chondrocytes. *Trans. Orthop. Res. Soc.* 22 (1), 713.
82. **Hall, A.C.**, Wilson, K.C.A. & Wheeler, K.P. (1998). Stimulation of betaine efflux from articular chondrocytes following cell swelling. *Trans. Orthop. Res. Soc.* 23(2), 921.
83. **Hall, A.C.**, Sheppard, D.N. & Wright, M.O. (1998). Mechano-sensitive ion channels of isolated human articular chondrocytes studied using the patch-clamp technique. *Trans. Orthop. Res. Soc.* 23(2), 485.
84. Mason, H.S., Wright, M.O., **Hall, A.C.** & Macdonald, A.G. (1998). The effect of hypotonically-induced stretch on the ion channel activity of cultured human articular chondrocytes. *J. Physiol.* 507P, 12P.
85. **Hall, A.C.**, Armitage, A.J., Kerr, C.R. & Wheeler, K.P. (1999). Inhibition of volume regulation by single isolated articular chondrocytes. *Trans. Orthop. Res. Soc.* 24, 709.
86. **Hall, A.C.**, Armitage, A.J. & Bush, P.G. (1999). Adaptive changes of isolated articular chondrocytes to changes in osmolarity. *Trans. Orthop. Res. Soc.* 24, 724.
87. Bush, P.G., Gardner, D., Adams, C., Walker, C., Aigner, T. & **Hall, A.C.** (1999). Volume and morphology of articular chondrocytes studied within normal and degenerate cartilage. *Trans. Orthop. Res. Soc.* 24, 128.
88. **Hall, A.C.** (1999). Volume regulation by single isolated bovine articular chondrocytes studied by fluorescence imaging. *J. Physiol.* 517P, 55P.
89. Bush, P.G. and **Hall, A.C.** (1999). The osmotic sensitivity of bovine chondrocytes *in situ*. *J. Physiol.* 517P, 48P.
90. Adams, C.I., Bush, P.G., Gardner, D.L., Walker, C. and **Hall, A.C.** (1999). Confocal scanning microscopy of live meniscal chondrocytes: 3-dimensional visualisation. *EULAR 99 Conference*, August, Glasgow. pp. 233-234.
91. Hodkinson, P.D., Hamilton, G.L., Bush, P.G., Huang, H.Y.S. and **Hall, A.C.** (2000). The role of bovine articular chondrocyte volume in determining the sensitivity of cartilage to impact load. *J. Physiol.* 527, 40P.
92. Bush, P.G., Hoemann, C. and **Hall, A.C.** (2000). Chondrocyte volume and 'abnormal' morphology: a comparison between *in situ* human chondrocytes and bovine cells cultured in weak three-dimensional agarose gels. *J. Physiol.* 527, 41P.
93. Kerrigan, M.J. and **Hall, A.C.** (2000). The role of [Ca²⁺]_i in mediating regulatory volume decrease in isolated bovine articular chondrocytes. *J. Physiol.* 527, 42P.
94. **Hall, A.C.** and Kerr, C.R. (2000). Lack of effect of metabolites from the arachidonic acid cascade on the 'osmolyte channel' of isolated bovine articular chondrocytes. *J. Physiol.* 527, 43P.
95. Bush, P.G. & **Hall, A.C.** (2000). Regulatory volume decrease (RVD) by *in situ* and isolated bovine articular chondrocytes. *J. Physiol.* 528, 94P.
96. Subramani, S., Chow, R.H., Shipston, M.J., Kerrigan, M.J. & **Hall, A.C.** (2000). Histamine-induced exocytosis by isolated bovine articular chondrocytes. *J. Physiol.* 531, 128P.
97. Bush, P.G., Hoemann, C.D., & **Hall, A.C.** (2001). A similarity between morphology of chondrocytes within degenerate cartilage and those cultured in a weak 3D matrix. *Trans. Orthop. Res. Soc.* 21, 661.
98. Kerrigan, M.K. & **Hall, A.C.** (2001). The role of intracellular calcium in chondrocyte volume regulation. *Trans. Orthop. Res. Soc.* 21, 556.
99. Kerrigan, M.J., Edmonston, J.L. & **Hall, A.C.** (2001). Regulatory volume decrease (RVD) by avian articular chondrocytes following hypotonic challenge. *J. Physiol.* 535P.
100. Kerrigan, M.J., Matskevitch, I., Flatman, P.W. & **Hall, A.C.** (2002). Absence of regulatory volume increase (RVI) in isolated bovine articular chondrocytes. *Eur. J. Physiol.* 443, S288-S289.
101. **Hall, A.C.**, Kerrigan, M.J., Bush, P.G. & Dunlop, D. (2002). Regulatory volume decrease (RVD) by articular chondrocytes isolated from normal and degenerate human articular cartilage. *Eur. J. Physiol.* 443, S236.
102. O'Neill, J.R., Kerrigan, M.J. & **Hall, A.C.** (2002). Differential mechanisms of intracellular pH (pH_i) recovery following acid load to *in situ* bovine articular chondrocytes within different cartilage zones. *J. Physiol.* 544, 108P.
103. Lucas, C.D., Kerrigan, M.J. & **Hall, A.C.** (2002). Volume regulation by isolated bovine articular chondrocytes within gels. *J. Physiol.* 544, 109P.
104. Kerrigan, M.J. & **Hall, A.C.** (2002). The role of the actin cytoskeleton in regulatory volume decrease (RVD) in bovine articular chondrocytes. *J. Physiol.* 544, 110P.

105. Bush, P.G., Huntley, J.S., Brenkel, I.J., Moran, M. & **Hall, A.C.** (2003). Volume regulatory decrease (RVD) by *in situ* human chondrocytes. *J. Physiol.* 549, 8-9P.
106. Bush, P.G. & **Hall, A.C.** (2003). Imaging cells within connective tissue; advantages offered by two-photon microscopy? Focus on Microscopy Conference. Genoa, April.
107. Huntley, J.S., Brenkel, I.J., McBirnie, J.M., Simpson, A.H., & **Hall, A.C.** (2004). Mosaicplasty – living on the edge. *Scot. Orthop. Soc. Meeting*, June 2004.
108. Huntley, J.S., McBirnie, J.M., Brenkel, I.J., Simpson, A.H. & **Hall, A.C.** (2004). Mosaicplasty – death at the edge. 14th Annual Meeting of the European Orthopaedic Research Society (EORS), Amsterdam, The Netherlands.
109. **Hall, A.C.**, Brenkel, I.J., Bush, P.G. (2006). Effect of human articular cartilage degeneration on chondrocyte regulatory volume decrease. Proceedings of the 52nd Orthopaedic Research Society Meeting, Chicago. Vol. 31:1337 (Poster Presentation).
110. Bush, P.G., Wang, Y., Lisle, J. Damron, T.A., **Hall, A.C.** (2006). Evidence for increased sodium/hydrogen and anion exchange activity with growth plate chondrocyte hypertrophy. Proceedings of the 52nd Orthopaedic Research Society Meeting, Chicago. Vol. 31:1401. (Poster Presentation).
111. Bush, P.G., Huntley, J.S., Macnicol, M.F. & **Hall, A.C.** (2006). Volume regulation by *in situ* growth plate chondrocytes. *JBJS*. (Br.) Vol. 88-B, SUPP_III, 369.
112. Bush, P.G., Parisinos, C., & **Hall, A.C.** (2007). Growth plate chondrocyte volume increase: The proportion of hypertrophic cell enlargement attributable to osmotically active space. Proceedings of the 53rd Orthopaedic Research Society Meeting, San Diego. Vol. 32:61. (Podium Presentation).
113. Murray, D.H., Brenkel, I.J., Bush, P.G. & **Hall, A.C.** (2007). Heterogeneity of chondrocyte morphology within human tibial plateau cartilage: A classification system and consequences for matrix metabolism. Proceedings of the 53rd Orthopaedic Research Society Meeting, San Diego. Vol. 32:544. (Poster Presentation).
114. Amin, A.K., Huntley, J.S., Simpson, A.H.R.W. & **Hall, A.C.** (2008). Medium osmolarity influences chondrocyte death in injured articular cartilage. Implications for the design of joint irrigation solutions. Proc. Scottish Orthop. Meeting, June 13th (Published in the Scottish Medical Journal).
115. Amin, A.K., Huntley, J.S., Simpson, H.R. & **Hall, A.C.** (2007). The influence of subchondral bone on chondrocyte survival in bovine cartilage. *Osteoarth. Cart.* 15: Supp. C 108-109.
116. Amin, A.K., Huntley, J.S., Bush, P.G., Simpson, H.R., & **Hall, A.C.** (2007). Osmolarity influences chondrocyte death in wounded articular cartilage. *Osteoarth. Cart.* 15: Supp. C 127-128.
117. Bush, P.G. & **Hall, A.C.** (2008). The role of the Na⁺-K⁺-2Cl⁻ cotransporter in growth plate chondrocyte hypertrophy. Proceedings of the 54th Orthopaedic Research Society Meeting, San Francisco. Vol. 33:26P. (Podium Presentation).
118. Bush, P.G. & **Hall, A.C.** (2008). A role for membrane transport proteins in growth plate hypertrophy – an immuno-histochemical study. PO6 BORS Meeting, June. To be published in the Journal of Bone and Joint Surgery (Br). Vol. 92-B, In Press.
119. Amin, A.K., Huntley, J.S., Bush, P.G., Simpson, A.H.R.W. & **Hall, A.C.** (2008). Chondrocyte death in mechanically-injured articular cartilage – the influence of extracellular calcium. P14 BORS Meeting, June. To be published in the Journal of Bone and Joint Surgery (Br). Vol. 92-B, In Press.
120. Loqman, M.Y., Bush, P.G. & **Hall, A.C.** (2008). A role for glutamate aspartate transporter (GLAST) in growth plate chondrocyte hypertrophy: An immunohistochemical study. European Workshop on Growth Plate Research. 4-5th July, Glasgow. SC2.
121. Loqman, M.Y., Bush, P.G., Farquharson, C., & **Hall, A.C.** (2008). Fixation of growth plate chondrocytes (GPC) with conventional tissue fixatives causes shrinkage artifact. 36th Scottish Microscopy Group Symposium, Edinburgh November.
122. Bush, P.G. & **Hall, A.C.** (2009). Regulatory volume decrease by proliferative and hypertrophic *in situ* bovine growth plate chondrocytes. Proceedings of the 55th Orthopaedic Research Society Meeting, Las Vegas. Vol. 34:958P.
123. Amin, A.K., Huntley, J.S., Patton, J., Simpson, A.H.W.R., & **Hall, A.C.** (2009). Bone-cartilage interactions: The survival of human articular chondrocytes is influenced by subchondral bone. Proceedings of the 55th Orthopaedic Research Society, Las Vegas. Vol. 34:973P.
124. Murray, D.H., Bush, P.G., Brenkel, I.J. & **Hall, A.C.** (2010). Abnormal *in situ* chondrocyte morphology is associated with increased levels of IL-1 β but not MMP-13. *Orthopaedic Proceedings* 92B:56-57.
125. Amin, A.K., Huntley, J.S., Simpson, A.H.R.W. & **Hall, A.C.** (2010). Chondroprotective strategies: Increasing the osmolarity of joint irrigating solutions. *Orthopaedic Proceedings* 92B:60.

126. Amin, A.K., Huntley, J.S. Simpson, A.H.R.W., Hall, A.C. (2010). Chondrocyte survival in articular cartilage explants – the influence of subchondral bone. *Orthopaedic Proceedings* 92:56.
127. Sokhi, K.V., Olabi, B., Simpson, H.R., **Hall, A.C.** & Bush, P.G. (2010). Enlargement of growth plate chondrocytes in agarose culture. *Proc. Physiological Society*, Manchester, July. PC243.
128. McLintock, B.T., Amin, A.K., & **Hall, A.C.** (2010). Protection of articular chondrocytes against cartilage drying by synovial fluid. *Proc. Physiological Society*, Manchester, July. PC59.
129. Loqman, M.Y., McAuley, P., Bush, P.G. & **Hall, A.C.** (2010). Changes to anion exchange (AE2) and sodium/hydrogen exchanger (NHE1) levels with growth plate chondrocyte hypertrophy: an immunohistochemical study. *Proc. Physiological Society*, Manchester, July. PC142.
130. Amin, A.K., Huntley, J.S., Simpson, A.H.W.R. & **Hall, A.C.** (2011). Chondrocyte survival in articular cartilage explants – the influence of subchondral bone. *Orthopaedic Proceedings* 93B:61.
131. McLintock, B.T., Banfield, C.E., Amin, A.K., & **Hall, A.C.** (2012). Protection of articular cartilage against drying by glucose-saline or synovial fluid. *Orthopaedic Proceedings* 94B:24.
132. Smith, I.D.M., Milto, K.M., Aymes, S., Simpson, A.H.R.W., & **Hall, A.C.** (2012). A bovine cartilage explant model for the study of *Staphylococcus aureus* – induced septic arthritis. *Orthopaedic Proceedings* 94B:75.
133. Houston, D.A., Amin, A.K., White, T.O., **Hall, A.C.** (2012). Characterisation of in situ chondrocyte death around mechanically-drilled holes in bovine articular cartilage: Implications for intra-articular internal fixation techniques. *Orthopaedic Proceedings* 94B:79.
134. Smith, I.D.M., Cyrulik, K.M., Aymes, S., Simpson, A.H.R.W., & **Hall, A.C.** (2012). The effect of *Staphylococcus aureus* toxins on in situ bovine chondrocytes. *Orthopaedic Proceedings* 94B:11.
135. Smith, I.D.M., **Hall, A.C.** & Simpson, A.H.R.W. (2012). Bovine explant models of septic arthritis: A pilot study. *Orthopaedic Proceedings* 94B:15.
136. Smith, I.D.M., Milto, K.M., Doherty, C.J., Amyes, S.G.B., Simpson, A.H.R.W. & **Hall, A.C.** (2013). Alpha toxin of *Staphylococcus aureus* is the major cause of *in situ* chondrocyte death in a bovine cartilage explant model of septic arthritis. *BORS London Meeting*, September. *Orthopaedic Proceedings* March 95-B: 37.
137. Smith, I.D.M., Winstanley, J.P., Doherty, C.J., Amyes, S.G.B., Simpson, A.H.R.W. & **Hall, A.C.** (2013). Increased sensitivity of superficial zone chondrocytes to *Staphylococcus aureus* toxins present in septic arthritis. *BORS London Meeting*, September. *Orthopaedic Proceedings* March 95-B: 28.
138. Prys-Jones, O.B., Amin, A.K., & **Hall, A.C.** (2013). Protection of chondrocytes against death during cartilage drilling. *BORS London Meeting*, September. *Orthopaedic Proceedings* March 95-B: 19.
139. Karim, A. & **Hall, A.C.** (2013). Morphological properties of chondrocytes cultured in weak 3D agarose gels. *BORS London Meeting*, September. *Orthopaedic Proceedings* March 95-B: 47.
140. Lin, Y., **Hall, A.C.**, Smith, I.D.M., Salter, D.M., Simpson, A.H.W.R. (2013). To create a novel organ culture model of an isolated animal joint for further cartilage research. *BORS London Meeting*, September. *Orthopaedic Proceedings* March 95-B: 49.
141. Smith, I.D.M., Milto, K.M., Doherty, C.J., Amyes, S.G.B., Simpson, A.H.R.W., & **Hall, A.C.** (2013). Alpha toxin of *Staphylococcus aureus* causes *in situ* chondrocyte death. *Orthopaedic Proceedings* February 95-B: 17.
142. Hindle, P., Biant, L.C., **Hall, A.C.** (2013). Viability of chondrocytes seeded onto a collagen I/III membrane for matrix assisted autologous chondrocyte implantation. *Orthopaedic Proceedings* June 95-B:14.
143. Karim, A., & **Hall, A.C.** (2013). Morphological characteristics of chondrocytes in injured cartilage cultured under various conditions. *Orthopaedic Proceedings* September OC9.
144. Eltawil, N.M., Howie, S.E., Simpson, A.H.R.W., Ahmed, S. & **Hall, A.C.** (2013). Protection of articular cartilage in vivo against scalpel-induced injury by a hyperosmolar solution. *Orthopaedic Proceedings* September OC10.
145. Lin, Y-C., **Hall, A.C.**, Smith, I.D.M., Salter, D.M., Simpson, A.H.R.W. (2013). Static and dynamic effects on articular cartilage studied with a novel isolated joint organ culture model. *Orthopaedic Proceedings* September OC11.
146. Farhan-Alanie, M.M.H., Smith, I.D.M., Wallace, R.J., Houston, D.A., **Hall, A.C.** (2013). Factors affecting the extent of chondrocyte death during cartilage drilling. *Orthopaedic Proceedings* September OC12.
147. Paterson, S.I. & **Hall, A.C.** (2013). Accelerated death of *in situ* chondrocytes in drying cartilage by laminar airflow. *Orthopaedic Proceedings* September P65.

148. Davidson, E.K. White, T.O., & **Hall, A.C.** (2015). How benign is the arthroscopic probe? A laboratory-based study using bovine and human joints. *Bone Joint J.* 97B:Supp. 4:1. (Paper # 851).
149. Clement, R., **Hall, A.C.**, Howie, S.E.M. Simpson, A.H.R.W. (2016a). A murine model of septic arthritis demonstrates that infection with an alpha toxin-producing strain of *S. aureus* leads to significantly elevated levels of chondrocyte death within 48 hours of infection when compared with infection with an alpha toxin-deficient mutant strain. *Bone Joint J.* 98-B (SUPP 16): 20.
150. Clement, R., **Hall, A.C.**, Howie, S.E.M. Simpson, A.H.R.W. (2016b). A method for assessing chondrocyte viability using confocal laser scanning microscopy in murine models. *BORS Glasgow Sept.* P62.
151. Clement, R., **Hall, A.C.**, Howie, S.E.M. Simpson, A.H.R.W. (2016c). A new model of murine septic arthritis established via direct stifle joint inoculation. *BORS Glasgow Sept.* P103.
152. Clement, R., **Hall, A.C.**, Howie, S.E.M., Vinuela-Fernandez, I., Simpson, A.H.R.W. (2016). A 3R's refinement to assess analgesia regimens using gait changes in murine septic arthritis that is more accurate than mouse grimace scores. *BORS Glasgow Sept.* P95.
153. Kang, W. **Hall, A.C.** (2017). Abnormal chondrocyte morphology following impact injury of bovine cartilage in the presence of fetal calf serum and its reversal by hyperosmolarity. *BORS Imperial Sept.* P52.
154. Liu, C.L.S. & **Hall, A.C.** (2017). Optimising the composition of irrigation fluid to minimise the potency of *Staphylococcus aureus* alpha toxin. *BORS Imperial Sept.* P58.
155. Miller, R.P., Hall, A.G., Berlouis, M.E., Schneiders, T., Smith, I.D.M., Simpson, A.H.R.W., **Hall, A.C.** (2017). Protection of chondrocytes against *Staphylococcus aureus* by antibacterials in a bovine cartilage model of septic arthritis. *BORS Imperial Sept.* P30. (Oral Presentation).
156. Stellon, D., **Hall, A.C.**, Alashkham, A. (2018). Neurovasculature of the Glenoid Labrum: Gross and Histological Anatomy. BACA meeting, Univ. Manchester, Dec. 2018. (Oral Presentation).

Styczynska-Soczka, K., Amin, A.K., Simpson, H., Hall, A.C. (2021) An *ex vivo* human femoral head model for orthobiologic therapies. *Orthop. Proc.* 103B Supp 2. P6.
<https://online.boneandjoint.org.uk/doi/abs/10.1302/1358-992X.2021.2.006>

Kooiman, E., Styczynska-Soczka, K., Amin, A.K., Hall, A.C. (2021). Abnormal human chondrocyte morphology and clustering may be related to cell-associated type I collagen: Insights into the phenotypic stability of chondrocytes. *Orthop. Proc.* 103B Supp 2. P10.
<https://online.boneandjoint.org.uk/doi/abs/10.1302/1358-992X.2021.2.010>

In Press:

Submitted:

Almajed, Y.A., Hall, A.C., Gillingwater, T.H., Alashkham, A. (2021). Innervation of the Glenoid Labrum: a Human Cadaveric Study. *Anatomical Society.*

Alomiery, A.A., Hall, A.C., Gillingwater, T.H., Alashkham, A. (2021). Neurovascular Mapping of The Acetabular Labrum in Grades of Hip Joint Osteoarthritis: Human Cadaveric Study. *Anatomical Society.*

Full Papers:

1. **Hall, A.C.**, Ellory, J.C. & Klein, R.A. (1982). Pressure and temperature effects on human red cell cation transport. *J. Memb. Biol.* 68, 47-56.
2. **Hall, A.C.** & Willis, J.S. (1984). Differential effects of temperature on three components of passive permeability to potassium in rodent red cells. *J. Physiol.* 348, 629-643.
3. **Hall, A.C.** & Ellory, J.C. (1985a). The measurement and stoichiometry of bumetanide-sensitive (2Na:1K:3Cl) 'cotransport' in ferret red cells. *J. Memb. Biol.* 85, 205-213.

4. Ellory, J.C., **Hall, A.C.** & Stewart, G.W. (1985a). Volume-sensitive cation fluxes in mammalian red cells. *Molecular Physiology* 8, 235-246.
5. **Hall, A.C.** & Ellory, J.C. (1986a). Evidence for the presence of volume-sensitive KCl transport in 'young' human red cells. *Biochim. Biophys. Acta* 858, 317-320.
6. **Hall, A.C.** & Willis, J.S. (1986). The temperature dependence of 'passive' potassium permeability in mammalian erythrocytes. *Cryobiology* 23, 395-405.
7. **Hall, A.C.** & Ellory, J.C. (1986c). Effects of high hydrostatic pressure on 'passive' monovalent cation transport in human red cells. *J. Memb. Biol.* 94, 1-17.
8. Ellory, J.C., **Hall, A.C.** & Amess, J.A.L. (1986). Passive potassium transport in human red cells. *Biomed. Biochim. Acta* 46, 31-35.
9. **Hall, A.C.**, Wolowyk, M.W., Wang, L.C.H. & Ellory, J.C. (1987). The effects of temperature on Ca²⁺ transport in red cells from a hibernator (*Spermophilus richardsonii*). *J. Therm. Biol.* 12, 61-63.
10. Ellory, J.C. & **Hall, A.C.** (1988). Human red cell volume regulation in hypotonic media. *Comp. Biochem. Physiol.* 90A, 533-537.
11. Bernhardt, I., **Hall, A.C.** & Ellory, J.C. (1988). Passive transport of monovalent cations through erythrocyte membranes. *Studia Biophysica* 126, 5-21.
12. Ellory, J.C., **Hall, A.C.** & Bernhardt, I. (1988). Physical and biochemical factors modulating red cell cation transport. *Studia Biophysica* 127, 215-221.
13. Stewart, G.W., Blackstock, E.J., **Hall, A.C.** & Ellory, J.C. (1989). Potassium transport in monkey erythrocytes. *Exp. Biol.* 48, 167-172.
14. Ellory, J.C., **Hall, A.C.**, Ody, S.A., Englert, H.C., Mania, D. & Lang, H-J. (1990). Selective inhibitors of KCl cotransport in human red cells. *FEBS Lett.* 262, 215-218.
15. Ellory, J.C., **Hall, A.C.** & Ody, S.A. (1990). Factors affecting the activation and inactivation of KCl cotransport in 'young' human red cells. *Biomed. Biochim. Acta* 49, 64-69.
16. **Hall, A.C.**, Urban, J.P.G. & Gehl, K.A. (1991). The effects of hydrostatic pressure on matrix synthesis in articular cartilage. *J. Orthop. Res.* 9, 1-10.
17. Bernhardt, I., **Hall, A.C.** & Ellory, J.C. (1991). Effects of low ionic strength on passive red cell monovalent cation transport. *J. Physiol.* 434, 489-506.
18. Wilkins, R.J. & **Hall, A.C.** (1992). Measurement of intracellular pH in isolated bovine articular chondrocytes. *Exp. Physiol.* 77, 521-524.
19. **Hall, A.C.** & Jarvis, S.M. (1992). The volume changes associated with the operation of the 'simple' transporter. *Biochim. Biophys. Acta.* 1105, 300-306.
20. Thorne, S.D., **Hall, A.C.** & Lowe, A.G. (1992). Effects of hydrostatic pressure on glucose transport in human erythrocytes. *FEBS Letters* 301, 299-302.
21. Urban, J.P.G., **Hall, A.C.** & Gehl, K.A. (1993). Regulation of matrix synthesis rates by the ionic and osmotic environment of articular chondrocytes. *J. Cell. Physiol.* 154, 262-270.
22. Huntley, J.S., **Hall, A.C.**, Sathyamoorthy, V. & Hall, R.H. (1993). Nature of the TDH induced lesion in human erythrocyte membranes. *Infect. Immun.* 61(10), 4326-4332.
23. Huntley, J.S. & **Hall, A.C.** (1994). Aspects of the haemolytic reaction induced by Kanagawa haemolysin of *Vibrio parahaemolyticus*. *Toxicon.* 32, 1397-1412.
24. Gibson, J.S. & **Hall, A.C.** (1995). Stimulation of KCl cotransport in equine erythrocytes by hydrostatic pressure: effects of kinase / phosphatase inhibition. *Eur. J. Physiol.* 429, 446-448.
25. **Hall, A.C.** (1995). Volume-sensitive taurine transport in bovine articular chondrocytes. *J. Physiol.* 484 (3), 755-766.
26. Wilkins, R.J. & **Hall, A.C.** (1995). Control of matrix synthesis in isolated bovine chondrocytes by extracellular and intracellular pH. *J. Cell Physiol.* 164, 474-481.
27. Ishihara, H., McNally, D., Urban, J.P.G., & **Hall, A.C.** (1996). Effects of hydrostatic pressure on matrix synthesis in different regions of the intervertebral disc. *J. Appl. Physiol.* 80(3), 839-846.
28. Huntley, J.S., & **Hall, A.C.** (1996a). Changes to erythrocyte cation permeability induced by a bacterial toxin. *Eur. J. Physiol.* 431, 668-670.
29. Huntley, J.S., & **Hall, A.C.** (1996b). Nature of the cation leak induced in erythrocyte membranes by Kanagawa haemolysin of *Vibrio parahaemolyticus*. *Biochim Biophys. Acta* 1281, 220-226.
30. **Hall, A.C.**, Starks, I., Shoults, C. & Rashidbigi, S. (1996). Pathways for K⁺ transport across the bovine articular chondrocyte membrane and their sensitivity to cell volume. *Amer. J. Physiol.* 270 (Cell Physiol. 39), C1300-C1310.

31. **Hall, A.C.**, Horwitz, E. R. & Wilkins, R.J. (1996). The cellular physiology of articular cartilage. *Exp. Physiol.* (Review). 81(3), 535-545.
32. Errington, R.J., Fricker, M.D., Wood, J.L., **Hall, A.C.** & White, N.S. (1997). Four-dimensional imaging of living chondrocytes in cartilage using confocal microscopy: a pragmatic approach. *Amer. J. Physiol.* 272, (Cell Physiol.41): C1040-C1051.
33. Mobasher, A., **Hall, A.C.**, Urban, J.P.G., France, S.J. & Smith, A.L. (1997). Immunologic and autoradiographic localisation of the Na/K ATPase in articular cartilage: up-regulation in response to changes in extracellular Na concentration. *Int. J. Biochem. Cell. Biol.* 29, 649-657.
34. Huntley, J.S., Sathyamoorthy, V., Hall, R.H. & **Hall, A.C.** (1997). Membrane attack induced by HlyA, a pore-forming toxin of *Vibrio cholerae*. *Human & Experimental Toxicol.* 16, 101-105.
35. Mobasher, A., Errington, R.J., Golding, S., **Hall, A.C.** & Urban, J.P.G. (1997). Characterisation of the isoforms of the Na⁺, K⁺-ATPase in isolated bovine articular chondrocytes. Molecular evidence for multiple α and β isoforms. *Cell Biol. Int.* 21, (4), 201-212.
36. Sathyamoorthy, V., Huntley, J.S., **Hall, A.C.** & Hall, R.H. (1997). Biochemical and physiological characteristics of HlyA, a pore-forming cytotoxin of *Vibrio cholera* serogroup 01. *Toxicon* 35, 515-527.
37. **Hall, A.C.** (1999). Differential effects of hydrostatic pressure on cation transport pathways of isolated articular chondrocytes. *J. Cell. Physiol.* 178, 197-204.
38. Browning, J.A., Walker, R.E., **Hall, A.C.** & Wilkins, R.J. (1999). Modulation of Na⁺ x H⁺ exchange by hydrostatic pressure in isolated bovine articular chondrocytes. *Acta Physiol. Scand.* 166, 39-45.
39. Bush, P.G. & **Hall, A.C.** (2001a). Regulatory volume decrease (RVD) by isolated and *in situ* bovine articular chondrocytes. *J. Cell. Physiol.* 187(3), 304-314.
40. Bush, P.G. & **Hall, A.C.** (2001b). The osmotic sensitivity of isolated and *in situ* bovine articular chondrocytes. *J. Orthop. Res.* 19(5), 768-778.
41. **Hall, A.C.** & Bush, P.G. (2001). The role of a swelling-activated taurine transport pathway in the regulation of articular chondrocyte volume. *Pflugers Arch Eur. J. Physiol.* 442(5), 771-781.
42. Martin, N.C., McCullough, C.T., Bush, P.G., Sharp, L., **Hall, A.C.**, & Harrison, D.J. (2002). Functional analysis of mouse hepatocytes differing in DNA content: Volume, receptor expression and effect of IFN γ . *J. Cell. Physiol.* 191 (2): 138-144.
43. Huntley, J.S., Bush, P.G., **Hall, A.C.** & Macnicol, M.F. (2003). Looking at the living human growth plate. *Canadian Med. Assoc. J.* 168(4): 459-460.
44. Bush, P.G. & **Hall, A.C.** (2003). The volume and morphology of chondrocytes within non-degenerate and degenerate human articular cartilage. *Osteoarth. Cart.* 11(4):242-251. [https://doi.org/10.1016/S1063-4584\(02\)00369-2](https://doi.org/10.1016/S1063-4584(02)00369-2)
45. **Hall, A.C.**, Bush, P.G., Davidson, M., & Kempson, S.A. (2003). Equine Articular Cartilage Chondrocytes – Opening the Black Box. (Editorial) *Equine Vet. J.* 35(5), 425-428.
46. Bush, P.G., Huntley, J.S., Brenkel, I.J. & **Hall, A.C.** (2003). The shape of things to come – chondrocytes and osteoarthritis. *Clin. Invest. Med.* 26(5):249-251.
47. Huang, C-C., **Hall, A.C.**, & Lim, P-H. (2004). Induction of calcium-activated potassium channel activity by hemin in human erythroleukemia cells. *Life Sci.* 75, 329-338.
48. Bush, P.G., Hodkinson, P.D., Hamilton, G.L., & **Hall, A.C.** (2005). Viability and volume of *in situ* bovine articular chondrocytes - changes following a single impact and effects of medium osmolarity. *Osteoarth. & Cart.* 13, 54-65.
49. Huntley, J.S., Bush, P.G., McBirnie, J.M., Simpson, A.H., **Hall, A.C.** (2005). Chondrocyte death associated with human femoral osteochondral harvest as performed for mosaicplasty. *J. Bone Jt. Surg. Am.* 87A(2), 351-360.
50. Huntley, J.S., Simpson, A.H. & **Hall, A.C.** (2005). Use of non-degenerate human osteochondral tissue and confocal laser scanning microscopy for the study of chondrocyte death at cartilage surgery. *Europ. Cells Materials* 9, 13-22.
51. Bush, P.G. & **Hall, A.C.** (2005). Passive osmotic properties of *in situ* human articular chondrocytes within non-degenerate and degenerate cartilage. *J. Cell. Physiol.* 204(1):309-319.
52. Huntley, J.S., McBirnie, J.M., Simpson, A.H., & **Hall, A.C.** (2005). Cutting-edge design to improve cell viability in osteochondral grafts. *Osteoarth. & Cart.* 13, 665-671.
53. Kerrigan, M.J.P. & **Hall, A.C.** (2005). Stimulation of regulatory volume decrease (RVD) by isolated bovine articular chondrocytes following F-actin disruption using latrunculin B. *Biorheology* 42(4), 283-293.
54. Kerrigan, M.J.P., Hook, C.S.V., Qusous, A., & **Hall, A.C.** (2006). Regulatory volume increase (RVI) by *in situ* and isolated bovine articular chondrocytes. *J. Cell. Physiol.* 209, 481-492.

55. Bush, P.G., Wokosin, D.L. & **Hall, A.C.** (2007). Two-versus one photon excitation laser scanning microscopy: Critical importance of excitation wavelength. *Frontiers in Bioscience* 12, 2646-2657.
56. Simpkin, V.L., Murray, D. H., Hall, A.P. & **Hall, A.C.** (2007). Bicarbonate-dependent pH_i regulation by chondrocytes within the superficial zone of bovine articular cartilage. *J. Cell. Physiol.* 212(3), 600-609.
57. Huang, C-C., **Hall, A.C.** & Lim, P-H. (2007). Characterisation of three pathways for osmolyte efflux in human erythroleukemia cells. *Life Sciences* 81(9), 732-739.
58. Bush, P.G., Parisinos, C.A. & **Hall, A.C.** (2008). The osmotic sensitivity of *in situ* rat growth plate chondrocytes: clarifying the mechanism of hypertrophy. *J Cell Physiol.* 214(3), 621-9.
59. Kerrigan, M.J. & **Hall, A.C.** (2008). Control of chondrocyte regulatory volume decrease (RVD) by [Ca²⁺]_i and cell shape. *Osteoarth. & Cart.* 16(3), 312-322.
60. Amin, A.K., Bush, P.G., Huntley, J.S., Simpson, A.H.W. & **Hall, A.C.** (2008). Osmolarity influences chondrocyte death in wounded articular cartilage. *J. Bone Jt. Surg. (Amer).* 90, 1531-1542.
61. Bush, P.G., **Hall, A.C.**, Macnicol, M.F. (2008). New insights into growth plate function: from clinical observations to chondrocyte enlargement and a possible role for membrane transporters. *J. Bone Jt. Surg. (Br).* 90-B(12), 1541-1547.
62. Amin, A.K., Huntley, J.S., Simpson, A.H.W. & **Hall, A.C.** (2009). Chondrocyte survival in articular cartilage: the influence of subchondral bone in a bovine model. *J. Bone Jt. Surg. (Br).* 91-B, 691-699. doi: 10.1302/0301-620X.91B5.21544
63. Amin, A.K., Huntley, J.S., Bush, P.G., Simpson, A.H.R.W. & **Hall, A.C.** (2009). Chondrocyte death in mechanically-injured articular cartilage – the influence of extracellular calcium. *J. Orthop. Res.*27(6), 778-784.
64. Amin, A.K., Huntley, J.S., Simpson, A.H.R.W. & **Hall, A.C.** (2010). Increasing the osmolarity of joint irrigation solutions may avoid injury to cartilage: A pilot study. *Clin. Orthop. Related Res.* 468, 875-884.
65. Loqman, M.Y., Bush, P.G., Farquharson, C., & **Hall, A.C.** (2010). A cell shrinkage artefact in growth plate chondrocytes with common fixative solutions: importance of fixative osmolarity for maintaining morphology. *Eur. Cells & Materials* 19, 214-227.
66. Bush, P.G., Pritchard, M., Loqman, M.Y., Damron, T.A., & **Hall, AC.** (2010). A key role for NKCC1 in mediating chondrocyte hypertrophy in the mammalian growth plate. *J. Bone Min. Res.* 25(7), 1594-1603.
67. Murray, D.H., Bush, P.G., Brenkel, I.J. & **Hall, A.C.** (2010). Abnormal human chondrocyte morphology is related to increased levels of cell-associated IL-1β and disruption to pericellular collagen type VI. *J. Orthop. Res.* 28(11), 1507-1514.
68. Amin, A.K., Huntley, J.S., Patton, J.T., Brenkel, I.J., Simpson, A.H.W.R. & **Hall, A.C.** (2011). Hyperosmolarity protects chondrocytes from mechanical injury in human articular cartilage: An experimental report. *J. Bone Jt. Surg. (Br).* 93(2), 277-284.
69. Huang, C-C., Lim, P-H., **Hall, A.C.**, & Huang, C-N. (2011). A key role for KCl cotransport in cell volume regulation in human erythroleukemia cells. *Life Sci.* 88:1001-1008.
70. Loqman, M.Y., Farquharson, C., Bush, P.G. & **Hall, A.C.** (2013). Suppression of mammalian bone growth by membrane transport inhibitors. *J. Cell Biochem.* 114, 658-668.
71. Houston, D.A., Amin, A.K., White, T.O., Smith, I.D., & **Hall, A.C.** (2013). Chondrocyte death after drilling and screw placement in a bovine model. *Osteoarth. & Cart.* 21:721-729.
72. Smith, I.D.M., Winstanley, J.P., Milto, K.M., Doherty, C.J., Czarniak, E., Amyes, S.G.B., Simpson, A.H.R.W., & **Hall, A.C.** (2013). Rapid chondrocyte death induced by *Staphylococcus aureus* toxins in a bovine cartilage explant model of septic arthritis. *Osteoarth. & Cart.* 21(11):1755-65.
73. Farhan-Alanie, M.M.H. & **Hall, A.C.** (2014). Temperature changes and chondrocyte death during drilling in a bovine cartilage model and chondroprotection by modified irrigation solutions. *Internat. Orthop.* 38:2407-2412.
74. Hindle, P., **Hall, A.C.**, & Biant, L. (2014). Viability of chondrocytes seeded onto a collagen I/III membrane for matrix-assisted autologous chondrocyte implantation. *J. Orthop. Res.* 32:1495–1502.
75. Paterson, S.I., Amin, A.K., & **Hall, A.C.** (2015). Airflow accelerates bovine and human articular cartilage drying and chondrocyte death. *Osteoarth. & Cart.* 23:257-265.
76. Eltawil, N.M., Howie, S.E.M., Simpson, A.H.R.W., Amin, A.K. & **Hall, A.C.** (2015). The use of hyperosmotic saline for chondroprotection: implications for orthopaedic surgery and cartilage repair. *Osteoarth. & Cart.* 23:469-477.
77. Lin, Y-C., **Hall, A.C.**, Smith, I.D.M., Salter, D.M. & Simpson, A.H.R.W. (2016). Mapping chondrocyte viability, matrix glycosaminoglycan content, and water content on the surface of a bovine metatarsophalangeal joint. *Cartilage* 7(2):193-203.

78. Karim, A., & Hall, A.C. (2016). Hyperosmolarity normalizes serum-induced changes to chondrocyte properties in a model of cartilage injury. *Europ. Cells & Mat.* 31:205-220. DOI:10.22203/ecm.v031a14
79. Paterson, S.I., Eltawil, N.M., Simpson, A.H.R.W., Amin, A.K. & Hall, A.C. (2016). Drying of open animal joints *in vivo* subsequently causes cartilage degeneration. *Bone Jt. Res.* 5:137-144. <https://doi.org/10.1302/2046-3758.54.2000594>
80. Karim, A. & Hall, A.C. (2017). Chondrocyte morphology in stiff and soft agarose gels and the influence of fetal calf serum. *J. Cell Physiology* 232(5):1041-1052. <https://doi.org/10.1002/jcp.25507>
81. Amin, A.K., Simpson, A.H.R.W. & Hall, A.C. (2017). Iatrogenic articular cartilage injury: the elephant in the orthopaedic operating theatre. The surgeon's role in chondroprotection. *Bone & Jt. Journal (Editorial)*. 99(B)12:1555-6. doi: 10.1302/0301-620X.99B12.BJJ-2017-1337.
82. Karim, A., Amin, A.K. & Hall, A.C. (2018). The clustering and morphology of chondrocytes in normal and mildly-degenerate human femoral head cartilage studied by confocal laser scanning microscopy. *J. Anatomy* 232(4):686-698. doi: 10.1111/joa.12768.
83. Lin, Y.-C., Hall, A.C., & Simpson, A.H.R.W. (2018). A novel joint organ culture model for evaluation of static and dynamic load on articular cartilage. *Bone & Jt. Research* 7(3): 205-212. doi: 10.1302/2046-3758.73BJR-2017-0320
84. Eltawil, N.M., Ahmed, S., Chan, L.H., Simpson, A.H.R.W. & Hall, A.C. (2018). Chondroprotection in a model of cartilage injury by raising the temperature and osmolality of arthroscopic irrigation solutions. *Cartilage* 9(3) 313–320 - <https://doi.org/10.1177/1947603516688511>
85. Smith, I.D.M., Milto, K.M., Doherty, C.J., Amyes, S.G.B., Simpson, A.H.R.W., & Hall, A.C. (2018). A potential key role of alpha-haemolysin of *Staphylococcus aureus* in mediating chondrocyte death in septic arthritis. *Bone & Jt. Research* 7(7): 457-467. [https://doi: 10.1302/2046-3758.77.BJR-2017-0165.R1](https://doi:10.1302/2046-3758.77.BJR-2017-0165.R1)
86. Hall, A.C. (2019). The role of chondrocyte morphology and volume in controlling phenotype – implications for osteoarthritis, cartilage repair and cartilage engineering. *Curr. Top. Rheumatol.* 21:38 <https://doi.org/10.1007/s11926-019-0837-6>
87. Liu, C.L.S. & Hall, A.C. (2020). Optimising the composition of irrigation fluid to reduce the potency of *Staphylococcus aureus* α -toxin: a possible role in the treatment of septic arthritis. *Cartilage* 11(4):500-511. <https://doi.org/10.1177/1947603518798888>
88. Howard, T.A., Murray, I.R., Amin, A.K., Simpson, A.H.R.W. & Hall, A.C. (2020). Damage control articular surgery: maintaining chondrocyte health and minimising iatrogenic injury. *Injury* 51(2) S83-S89. <https://doi.org/10.1016/j.injury.2019.10.072>
89. Amin, A.K. & Hall, A.C. (2020). Raising the osmolality of arthroscopic irrigating solutions may be chondroprotective: we must be kind to our joints during arthroscopy. *Arthroscopy* 36(12):3058-3060. <https://doi.org/10.1016/j.arthro.2020.08.021>
90. Styczynska-Soczka, K., Amin, A.K., Simpson, A.H.W., & Hall, A.C. (2021). Optimization and validation of a human *ex vivo* femoral head model for preclinical cartilage research and regenerative therapies. *Cartilage*. Vol. 13 (Suppl 2) 386S–397S. <https://doi.org/10.1177/1947603520934534>
91. Styczynska-Soczka, K., Amin, A.K., & Hall, A.C. (2021). Cell-associated Type I collagen in non-degenerate and degenerate human articular cartilage. *J. Cell. Physiology* 236:7672–7681. <https://doi.org/10.1002/jcp.30418>
92. Miller, R.P., Berlouis, M.E., Hall, A.G., Smith, I.D.M., Simpson, A.H.R.W., & Hall, A.C. (2021). Effect of antibiotics on *Staphylococcus aureus* α -toxin levels: implications for the treatment of septic arthritis. *Cartilage* 12(3) 362–376. [https://doi: 10.1177/1947603519828433](https://doi:10.1177/1947603519828433)
93. Almajed, Y.A., Hall, A.C., Gillingwater, T.H., & Alashkham, A. (2021). Anatomical, functional and biomechanical review of the glenoid labrum. *J. Anatomy* 240(4):761-771. <https://doi.org/10.1111/joa.13582>
94. Karim, A., Bajbouj, K., Shafarin, J., Qaisar, R., Hall, A.C., & Hamad, M. (2022). Iron overload induces oxidative stress, cell cycle arrest and apoptosis in chondrocytes. *Frontiers in Cell and Developmental Biology* 10: 821014. <https://doi.org/10.3389/fcell.2022.821014>
95. Karim, A., Bajbouj, K., Qaisar, R., Hall, A.C., & Hamad, M. (2022). The role of disrupted iron homeostasis in the development and progression of arthropathy. *J. Orthop. Res.* 40(6):1243-1250. <https://doi.org/10.1002/jor.25323>
96. Clement, R., Hall, A.C., Wong, S.J., Howie, S.E.M., & Simpson, H.W. (2022). Septic arthritis in an *in vivo* murine model induced by *Staphylococcus aureus*; a comparison between actions of the Hla toxin and the host immune response. *Bone & Jt. Research* 11(9):669–678. <https://doi.org/10.1302/2046-3758.119.BJR-2022-0016.R1>

In Press:

Submitted/Under review/Revision:

97. Herren, A.O., Amin, A.K., **Hall, A.C.** (2023). A Disintegrin and Metalloproteinase with Thrombospondin Motifs-4 (ADAMTS-4) levels in chondrocytes of different morphology within non-degenerate and early osteoarthritic human femoral head cartilage. *Cartilage*

In Preparation/Cranium:

98. Clement, R., **Hall, A.C.**, Wong, S.J., Howie, S.E.M., Simpson, H.W. (2023). Long-term follow up of 142 hip and knee septic arthritis patients. *J Bone Jt. Surg.*

99. Alomiery, A., **Hall, A.C.**, Gillingwater, T.H., Alashkham, A. (2023). The acetabular enthesis; a review of pain during the pathogenesis of hip joint arthritis. *Clinical Anatomy Under Revision*

Book Chapters:

1. **Hall, A.C.** & Macdonald, A.G. (1981). Osmotic fragility of erythrocytes: Effects of hydrostatic pressure and pentanol. *Proc. VII Symp. Underwater Physiol.* Eds., Bachrach, A.J. and Matzen, M.M. Undersea Med. Soc. Inc., Bethesda. pp. 651-659.
2. Ellory, J.C., **Hall, A.C.** & Stewart, G.W. (1985b). Volume-sensitive passive potassium fluxes in red cells. In; *Transport Processes, Iono- and Osmoregulation.* Eds. R. Gilles and M. Gilles-Baillien, Springer-Verlag, Berlin. pp. 401-410.
3. **Hall, A.C.** & Ellory, J.C. (1986b). Hydrostatic pressure effects on membrane transport in red cells. In; *Topics in Lipid Research: From structural elucidation to biological function.* Eds. R.A. Klein & B. Schmitz. Royal Society of Chemistry. pp. 331-336.
4. Ellory, J.C., **Hall, A.C.**, Wolowyk, M.W. & Wang, L.C.H. (1986). The temperature dependence of membrane transport in hibernator and non-hibernator species' red cells. In; *Topics in Lipid Research: From structural elucidation to biological function.* Eds. R.A. Klein and B. Schmitz. Royal Society of Chemistry. pp. 313-318.
5. **Hall, A.C.** & Ellory, J.C. (1987). Hydrostatic pressure effects on ion transport in liposomes and red cells. In; *Current Perspectives in High Pressure Biology.* Eds. H.W. Jannasch, R.E. Marquis & A.M. Zimmerman. Academic Press, London. pp. 191-206.
6. Ellory, J.C. & **Hall, A.C.** (1987). Temperature Effects on Red Cell Membrane Transport Processes. In; *Temperature and Animal Cells.* Eds., K. Bowler & B.J. Fuller. *Symp. Soc. Exp. Biol.*, 41, 53-66.
7. **Hall, A.C.**, Bianchini, L. & Ellory, J.C. (1989). Pathways for cell volume regulation via potassium and chloride loss. In; *Ion Transport*, Eds. D. Keeling & C. Benham, Academic Press. London. pp. 217-235.
8. **Hall, A.C.** (1990a). Techniques for studying membrane transport. In; *Methods in Cartilage Research.* Ed. A. Maroudas & K. Kuettner. Academic Press, London. pp. 258-263.
9. **Hall, A.C.** (1990b). The effects of hydrostatic pressure on transport processes in biological membranes. *Proc. IInd Int. Meeting on High Pressure Biology.* Eds., J. Drouet, J-J. Risso and J.C. Rostain. Pp. 8-13.
10. **Hall, A.C.** & Urban, J.P.G. (1990). Control of cartilage synthesis by physiological levels of hydrostatic pressure. *Proc. IInd Int. Meeting on High Pressure Biology.* Eds., J. Drouet, J-J. Risso & J.C. Rostain. pp. 133-140.
11. Urban, J.P.G. & **Hall, A.C.** (1991). Changes in cartilage osmotic pressure in response to loads and their effects on chondrocyte metabolism. In; *Mechanics of Swelling: From Clays to Living Cells and Tissues.* Ed. T.K. Karalis, Springer-Verlag, pp. 223-256.
12. Ellory, J.C., **Hall, A.C.**, Ody, S.A., Poli de Figueiredo C.E., Chalder, S. & Stuart, J. (1991). KCl cotransport in HbAA and HbSS red cells: Activation by intracellular acidity and disappearance during maturation. In; *Red Cell Ageing*, Eds. M. Magnani and A. De Flora. Plenum Press, New York. pp. 47-55.
13. Urban, J.P.G. & **Hall, A.C.** (1992). Physical modifiers of cartilage metabolism. In; *Articular Cartilage and Osteoarthritis.* Ed. K.E. Kuettner, R. Schleyerbach, J.G. Peyron & V.C. Hascall, Raven Press, New York pp. 393-406.
14. **Hall, A.C.**, Pickles, D. & Macdonald, A.G. (1993). Effects of High Pressure on Biological Systems; Aspects of eukaryotic cells. In; *Advances in Comparative and Environmental Physiology*, Vol. 17. Ed. A.G. Macdonald, Springer-Verlag, Berlin. pp. 29-85.

15. Urban, J.P.G. & **Hall, A.C.** (1994). The effects of hydrostatic pressure and osmotic pressures on chondrocyte metabolism. *In, Cell Mechanics and Cellular Engineering*. Eds. V.C. Mow, F. Guilak, R. Tran-Son-Tay, & R. Hochmuth, Springer-Verlag, pp. 398-419.
16. **Hall, A.C.** (1998). Physiology of Cartilage. *In: Sciences Basic to Orthopaedics* Eds., S.P.F. Hughes & I.D. McCarthy. W.B. Saunders Co., Ltd., London. pp. 45-69.

Other Publications etc.

Eltawil, N.M et al. (2015). The use of hyperosmotic saline for chondroprotection: implications for orthopaedic surgery and cartilage repair.

<http://biomedfrontiers.org/arthritis-2015-5-6/> World Biomedical Frontiers ISSN: 2328-0166

File: ACH Publications February 2023